AD		

Award Number: DAMD17-01-1-0078

TITLE: Study of prostate cancer screening and mortality in black and white men in the five Atlanta area SEER counties

PRINCIPAL INVESTIGATOR: Nabih R. Asal, Ph.D.

CONTRACTING ORGANIZATION: Morehouse School of Medicine Atlanta, Georgia 30310-1495

REPORT DATE: October 2002

TYPE OF REPORT: Annual

PREPARED FOR: U.S. Army Medical Research and Materiel Command Fort Detrick, Maryland 21702-5012

DISTRIBUTION STATEMENT: Approved for Public Release;
Distribution Unlimited

The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision unless so designated by other documentation.

REPORT DOCUMENTATION PAGE

Form Approved OMB No. 074-0188

reviewing this collection of information. Send com- Information Operations and Reports, 1215 Jefferso	ments regarding this burden estimate or any other	2-4302, and to the Office of Manage	on, including suggestions for ement and Budget, Paperwo	or reducing this burden to Washington Headqua
1. AGENCY USE ONLY (Leave blank		3. REPORT TYPE AND	DATES COVERED	
.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	October 2002	Annual (24 Sep	tember 2001	- 23 September 2002)
4. TITLE AND SUBTITLE	- Lorenza		5. FUNDING NUN	
Study of prostate cancer screening	g and mortality in black and whit	e men in the five	DAMD17-01-1-00	78
Atlanta area SEER counties	,			
Titiana area SEST countres				
6. AUTHOR(S)				
Nabih R. Asal, Ph.	D.			
•				
1				
7. PERFORMING ORGANIZATION N	AME(S) AND ADDRESS(ES)		8. PERFORMING	ORGANIZATION
			REPORT NUMB	ER
Morehouse School of	Medicine			
Atlanta, Georgia 3	10310-1495			
1				
email - asaln@mdm.e	eau			
9. SPONSORING / MONITORING A	GENCY NAME(S) AND ADDRESS(E	3)	10. SPONSORING	/ MONITORING
I STORESTANCE A MONTH OF THE ACT	32.10 1 10 10.2(0) 7 10.2 7 1.2 2 1.2 2 1.2	·		ORT NUMBER
U.S. Army Medical Research and	Materiel Command			
Fort Detrick, Maryland 21702-50				,
Tort Detrick, Waityland 21702-30	,12			
44 OUDDI FINENTARY NOTES				
11. SUPPLEMENTARY NOTES				
12a. DISTRIBUTION / AVAILABILITY	/ STATEMENT		1	2b. DISTRIBUTION CODE
Approved for Public Re		limited	'	2b. DISTRIBUTION CODE
Approved for Fabric Re	icase, biscribación on	111111111111111111111111111111111111111	0,	
13. ABSTRACT (Maximum 200 Wo.	rds)	·		
		the Five Metron	olitan Atlan	uta SEER Counties to
A case-control study i	s being implemented in	the Five Metrop	olitan Atlan	ata SEER Counties to
A case-control study i determine if screening	s being implemented in with the prostate spe	cific antigen an	d the digita	al rectal examination
A case-control study i determine if screening reduce mortality from	s being implemented in with the prostate spe prostate cancer in bla	cific antigen an ck and white men	d the digita . 566 Prosta	l rectal examination te cancer death (221
A case-control study i determine if screening reduce mortality from Blacks and 345 Whites	s being implemented in with the prostate spe prostate cancer in bla of the required sample	cific antigen an ck and white men of 170 Black an	d the digita . 566 Prosta d 280 White	the cancer death (221 men)occurring to
A case-control study i determine if screening reduce mortality from Blacks and 345 Whites residents of the five	s being implemented in with the prostate spe prostate cancer in bla of the required sample counties during 1998-2	cific antigen an ck and white men of 170 Black an 001 have been id	d the digita . 566 Prosta d 280 White entified, re	the cancer death (221 men)occurring to eviewed, and linked
A case-control study i determine if screening reduce mortality from Blacks and 345 Whites residents of the five to the hospital(s)of p.	s being implemented in with the prostate spe prostate cancer in bla of the required sample counties during 1998-2 rior treatment. IRB an	cific antigen an ck and white men of 170 Black an 001 have been id d access to medi	d the digita . 566 Prosta d 280 White entified, re cal records	al rectal examination the cancer death (221 men)occurring to eviewed, and linked have been requested
A case-control study i determine if screening reduce mortality from Blacks and 345 Whites residents of the five to the hospital(s)of pand approved from 18/1	s being implemented in with the prostate spe prostate cancer in bla of the required sample counties during 1998-2 rior treatment. IRB an 9 different institutio	cific antigen an ck and white men of 170 Black an 001 have been id access to medinal and hospital	d the digita . 566 Prosta d 280 White entified, re cal records IRBs. Two p	tl rectal examination te cancer death (221 men)occurring to eviewed, and linked have been requested obysicians with MPH
A case-control study i determine if screening reduce mortality from Blacks and 345 Whites residents of the five to the hospital(s) of pland approved from 18/1 degrees have been hire	s being implemented in with the prostate spe prostate cancer in bla of the required sample counties during 1998-2 rior treatment. IRB an different institutiod to provide the staff	cific antigen anck and white men of 170 Black an 001 have been id d access to medi nal and hospital support(one is	d the digita . 566 Prosta d 280 White entified, re cal records IRBs. Two p a post docto	al rectal examination the cancer death (221 men)occurring to eviewed, and linked have been requested physicians with MPH oral fellow). A
A case-control study i determine if screening reduce mortality from Blacks and 345 Whites residents of the five to the hospital(s) of pand approved from 18/1 degrees have been hire medical abstract form	s being implemented in with the prostate spe prostate cancer in bla of the required sample counties during 1998-2 rior treatment. IRB an 9 different institutiod to provide the staff has been developed, te	cific antigen anck and white men of 170 Black an 001 have been id access to medinal and hospital support(one is sted and is bein	d the digita . 566 Prosta d 280 White entified, re cal records IRBs. Two p a post docto g used. A to	al rectal examination the cancer death (221 men)occurring to viewed, and linked have been requested physicians with MPH oral fellow). A
A case-control study i determine if screening reduce mortality from Blacks and 345 Whites residents of the five to the hospital(s) of pand approved from 18/1 degrees have been hire medical abstract form charts of 219 made available.	s being implemented in with the prostate spe prostate cancer in bla of the required sample counties during 1998-2 rior treatment. IRB an 9 different institutiod to provide the staff has been developed, te ilable for review from	cific antigen and ck and white mend of 170 Black and 001 have been idd access to medinal and hospital support (one issted and is beind the 5 largest here	d the digita . 566 Prosta d 280 White entified, re cal records IRBs. Two p a post docto g used. A to ospitals hav	al rectal examination ate cancer death (221 men) occurring to eviewed, and linked have been requested obysicians with MPH oral fellow). A stal of 119 medical re been completed.
A case-control study i determine if screening reduce mortality from Blacks and 345 Whites residents of the five to the hospital(s)of pand approved from 18/1 degrees have been hiremedical abstract form charts of 219 made avalued	s being implemented in with the prostate spe prostate cancer in bla of the required sample counties during 1998-2 rior treatment. IRB an 9 different institutiod to provide the staff has been developed, te ilable for review from Cancer Registry that	cific antigen and ck and white mend of 170 Black and 001 have been idded access to medinal and hospital support (one issted and is beind the 5 largest hincludes already	d the digita . 566 Prosta d 280 White entified, re cal records IRBs. Two p a post docto g used. A to ospitals hav abstracted	al rectal examination ate cancer death (221 men) occurring to eviewed, and linked have been requested obysicians with MPH oral fellow). A stal of 119 medical to been completed. data on the same
A case-control study i determine if screening reduce mortality from Blacks and 345 Whites residents of the five to the hospital(s)of pand approved from 18/1 degrees have been hiremedical abstract form charts of 219 made avalued	s being implemented in with the prostate spe prostate cancer in bla of the required sample counties during 1998-2 rior treatment. IRB an 9 different institutiod to provide the staff has been developed, te ilable for review from Cancer Registry that	cific antigen and ck and white mend of 170 Black and 001 have been idded access to medinal and hospital support (one issted and is beind the 5 largest hincludes already	d the digita . 566 Prosta d 280 White entified, re cal records IRBs. Two p a post docto g used. A to ospitals hav abstracted	al rectal examination ate cancer death (221 men) occurring to eviewed, and linked have been requested obysicians with MPH oral fellow). A stal of 119 medical to been completed. data on the same
A case-control study i determine if screening reduce mortality from Blacks and 345 Whites residents of the five to the hospital(s)of pand approved from 18/1 degrees have been hiremedical abstract form charts of 219 made avangecords of the Georgia subjects are being rev	s being implemented in with the prostate spe prostate cancer in bla of the required sample counties during 1998-2 rior treatment. IRB an 9 different institutiod to provide the staff has been developed, te ilable for review from Cancer Registry that iewed. The project is	cific antigen and ck and white mend of 170 Black and 001 have been idded access to medide and hospital support (one is sted and is beind the 5 largest hincludes already progressing well	d the digita . 566 Prosta d 280 White entified, re cal records IRBs. Two p a post docto g used. A to ospitals hav abstracted given the f	al rectal examination the cancer death (221 men) occurring to viewed, and linked have been requested physicians with MPH oral fellow). A stal of 119 medical re been completed. data on the same act that the IRB
A case-control study i determine if screening reduce mortality from Blacks and 345 Whites residents of the five to the hospital(s)of p and approved from 18/1 degrees have been hire medical abstract form charts of 219 made ava Records of the Georgia subjects are being reveapproval process has be	s being implemented in with the prostate spe prostate cancer in bla of the required sample counties during 1998-2 rior treatment. IRB an 9 different institutiod to provide the staff has been developed, te ilable for review from Cancer Registry that iewed. The project is seen labor intensive an	cific antigen anck and white men of 170 Black an 001 have been id access to medinal and hospital support (one is sted and is bein the 5 largest hincludes already progressing well time consuming	d the digita . 566 Prosta d 280 White entified, re cal records IRBs. Two p a post docto g used. A to ospitals hav abstracted given the f but necessa	al rectal examination the cancer death (221 men) occurring to eviewed, and linked have been requested physicians with MPH oral fellow). A otal of 119 medical rebeen completed. data on the same act that the IRB ry. Efforts and
A case-control study i determine if screening reduce mortality from Blacks and 345 Whites residents of the five to the hospital(s)of pand approved from 18/1 degrees have been hire medical abstract form charts of 219 made aval Records of the Georgia subjects are being revapproval process has bearrangements are being	s being implemented in with the prostate spe prostate cancer in bla of the required sample counties during 1998-2 rior treatment. IRB an 9 different institution d to provide the staff has been developed, te ilable for review from Cancer Registry that iewed. The project is seen labor intensive an made to expand the ge	cific antigen anck and white men of 170 Black an 001 have been id access to medinal and hospital support (one is sted and is bein the 5 largest hincludes already progressing well time consuming	d the digita . 566 Prosta d 280 White entified, re cal records IRBs. Two p a post docto g used. A to ospitals hav abstracted given the f but necessa	al rectal examination the cancer death (221 men) occurring to eviewed, and linked have been requested physicians with MPH oral fellow). A otal of 119 medical rebeen completed. data on the same act that the IRB ry. Efforts and
A case-control study i determine if screening reduce mortality from Blacks and 345 Whites residents of the five to the hospital(s)of p and approved from 18/1 degrees have been hire medical abstract form charts of 219 made ava Records of the Georgia subjects are being reveapproval process has be	s being implemented in with the prostate spe prostate cancer in bla of the required sample counties during 1998-2 rior treatment. IRB an 9 different institution d to provide the staff has been developed, te ilable for review from Cancer Registry that iewed. The project is seen labor intensive an made to expand the ge	cific antigen anck and white men of 170 Black an 001 have been id access to medinal and hospital support (one is sted and is bein the 5 largest hincludes already progressing well time consuming	d the digita . 566 Prosta d 280 White entified, re cal records IRBs. Two p a post docto g used. A to ospitals hav abstracted given the f but necessa	al rectal examination the cancer death (221 men) occurring to eviewed, and linked have been requested physicians with MPH oral fellow). A otal of 119 medical rebeen completed. data on the same act that the IRB ry. Efforts and
A case-control study in determine if screening reduce mortality from Blacks and 345 Whites residents of the five to the hospital(s) of pland approved from 18/1 degrees have been hired medical abstract form charts of 219 made avan Records of the Georgia subjects are being reveapproval process has be arrangements are being counties in North Centrice.	s being implemented in with the prostate spe prostate cancer in bla of the required sample counties during 1998-2 rior treatment. IRB an 9 different institution d to provide the staff has been developed, te ilable for review from Cancer Registry that iewed. The project is seen labor intensive an made to expand the ge	cific antigen anck and white men of 170 Black an 001 have been id access to medinal and hospital support (one is sted and is bein the 5 largest hincludes already progressing well time consuming	d the digita . 566 Prosta d 280 White entified, re cal records IRBs. Two p a post docto g used. A to ospitals hav abstracted given the f but necessa include 23	al rectal examination ate cancer death (221 men) occurring to eviewed, and linked have been requested obysicians with MPH oral fellow). A stal of 119 medical re been completed. data on the same act that the IRB ary. Efforts and urban and rural
A case-control study i determine if screening reduce mortality from Blacks and 345 Whites residents of the five to the hospital(s) of pand approved from 18/1 degrees have been hire medical abstract form charts of 219 made ava Records of the Georgia subjects are being revapproval process has bearrangements are being counties in North Cent:	s being implemented in with the prostate spe prostate cancer in bla of the required sample counties during 1998-2 rior treatment. IRB an 9 different institutiod to provide the staff has been developed, te ilable for review from Cancer Registry that iewed. The project is seen labor intensive an made to expand the geral Florida.	cific antigen anck and white men of 170 Black an 001 have been id access to medinal and hospital support (one is sted and is bein the 5 largest hincludes already progressing well time consuming	d the digita . 566 Prosta d 280 White entified, re cal records IRBs. Two p a post docto g used. A to ospitals hav abstracted given the f but necessa include 23	al rectal examination the cancer death (221 men) occurring to eviewed, and linked have been requested physicians with MPH oral fellow). A otal of 119 medical rebeen completed. data on the same act that the IRB ry. Efforts and
A case-control study in determine if screening reduce mortality from Blacks and 345 Whites residents of the five to the hospital(s) of pland approved from 18/1 degrees have been hired medical abstract form charts of 219 made avan Records of the Georgia subjects are being reveapproval process has be arrangements are being counties in North Centrice.	s being implemented in with the prostate spe prostate cancer in bla of the required sample counties during 1998-2 rior treatment. IRB an 9 different institutiod to provide the staff has been developed, te ilable for review from Cancer Registry that iewed. The project is seen labor intensive an made to expand the geral Florida.	cific antigen anck and white men of 170 Black an 001 have been id access to medinal and hospital support (one is sted and is bein the 5 largest hincludes already progressing well time consuming	d the digita . 566 Prosta d 280 White entified, re cal records IRBs. Two p a post docto g used. A to ospitals hav abstracted given the f but necessa include 23	al rectal examination ate cancer death (221 men) occurring to eviewed, and linked have been requested obysicians with MPH oral fellow). A stal of 119 medical to been completed. data on the same act that the IRB ary. Efforts and urban and rural
A case-control study i determine if screening reduce mortality from Blacks and 345 Whites residents of the five to the hospital(s) of pand approved from 18/1 degrees have been hire medical abstract form charts of 219 made ava Records of the Georgia subjects are being revapproval process has bearrangements are being counties in North Cent:	s being implemented in with the prostate spe prostate cancer in bla of the required sample counties during 1998-2 rior treatment. IRB an 9 different institutiod to provide the staff has been developed, te ilable for review from Cancer Registry that iewed. The project is seen labor intensive an made to expand the geral Florida.	cific antigen anck and white men of 170 Black an 001 have been id access to medinal and hospital support (one is sted and is bein the 5 largest hincludes already progressing well time consuming	d the digita . 566 Prosta d 280 White entified, re cal records IRBs. Two p a post docto g used. A to ospitals hav abstracted given the f but necessa include 23	al rectal examination ate cancer death (221 men) occurring to eviewed, and linked have been requested obysicians with MPH oral fellow). A stal of 119 medical re been completed. data on the same act that the IRB ary. Efforts and urban and rural
A case-control study i determine if screening reduce mortality from Blacks and 345 Whites residents of the five to the hospital(s) of pand approved from 18/1 degrees have been hire medical abstract form charts of 219 made ava Records of the Georgia subjects are being revapproval process has bearrangements are being counties in North Cent:	s being implemented in with the prostate spe prostate cancer in bla of the required sample counties during 1998-2 rior treatment. IRB an 9 different institutiod to provide the staff has been developed, te ilable for review from Cancer Registry that iewed. The project is seen labor intensive an made to expand the geral Florida.	cific antigen anck and white men of 170 Black an 001 have been id access to medinal and hospital support (one is sted and is bein the 5 largest hincludes already progressing well time consuming	d the digita . 566 Prosta d 280 White entified, re cal records IRBs. Two p a post docto g used. A to ospitals hav abstracted given the f but necessa include 23	al rectal examination ate cancer death (221 men) occurring to eviewed, and linked have been requested obysicians with MPH oral fellow). A stal of 119 medical to been completed. data on the same act that the IRB ary. Efforts and urban and rural
A case-control study i determine if screening reduce mortality from Blacks and 345 Whites residents of the five to the hospital(s) of pand approved from 18/1 degrees have been hire medical abstract form charts of 219 made avanced of the Georgia subjects are being revapproval process has be arrangements are being counties in North Cent: 14. SUBJECT TERMS prostate cancer, black	s being implemented in with the prostate spe prostate cancer in bla of the required sample counties during 1998-2 rior treatment. IRB an 9 different institution do to provide the staff has been developed, te ilable for review from Cancer Registry that iewed. The project is seen labor intensive an made to expand the geral Florida.	cific antigen anck and white men of 170 Black an 001 have been id access to medinal and hospital support(one is sted and is bein the 5 largest hincludes already progressing welld time consuming ographic area to	d the digita . 566 Prosta d 280 White entified, re cal records IRBs. Two p a post docto g used. A to ospitals hav abstracted given the f but necessa include 23	al rectal examination the cancer death (221 men) occurring to viewed, and linked have been requested physicians with MPH oral fellow). A stal of 119 medical to been completed. data on the same fact that the IRB ry. Efforts and urban and rural NUMBER OF PAGES PRICE CODE
A case-control study i determine if screening reduce mortality from Blacks and 345 Whites residents of the five to the hospital(s) of pand approved from 18/1 degrees have been hire medical abstract form charts of 219 made avanced and subjects are being revapproval process has bearrangements are being counties in North Cent: 14. SUBJECT TERMS prostate cancer, black	with the prostate spe prostate cancer in bla of the required sample counties during 1998-2 rior treatment. IRB an different institution to provide the staff has been developed, te ilable for review from Cancer Registry that iewed. The project is seen labor intensive an made to expand the geral Florida. 18. SECURITY CLASSIFICATION	cific antigen anck and white men of 170 Black an 001 have been id daccess to medinal and hospital support(one is sted and is bein the 5 largest hincludes already progressing welld time consuming ographic area to	d the digita . 566 Prosta d 280 White entified, re cal records IRBs. Two p a post docto g used. A to ospitals hav abstracted given the f but necessa include 23 15. 35 16. ICATION 20. Unl	al rectal examination the cancer death (221 men) occurring to viewed, and linked have been requested physicians with MPH oral fellow). A stal of 119 medical to been completed. data on the same fact that the IRB ry. Efforts and urban and rural NUMBER OF PAGES PRICE CODE LIMITATION OF ABSTRACT

Table of Contents

Cover	Page 1
SF 298	Page 2
Table of Contents	Page 3
Introduction	Page 4
Body	Page 4
Key Research Accomplishments	Page 4
Reportable Outcomes	Page 9
Conclusions	Page 9
References	Page 10
Appendices	Page 10
Appendix A	Page 11
Appendix B	Page 35

Study of Prostate Cancer Screening and Mortality Among Black and White Men In the Five Atlanta Area SEER Counties

I. Introduction

Prostate cancer is the leading cause of cancer morbidity and the second leading cause of cancer mortality among U.S. men, and is projected to account for an estimated 189,000 (30%) new cases and 30,300 (11%) deaths in the year 2002 (1). The significant decreases in mortality and incidence that occurred since 1992 and have continued to the present, primarily among white men, have been attributed to increased awareness of the disease and efforts in early detection. African American men have the highest incidence and mortality rates in the world and continue to experience significantly higher incidence and twice as high death rates as whites in the U.S. The disparity in morbidity and mortality between African American and white men in the U.S. has not been adequately studied or explained, although it is generally believed that a number of factors are responsible, including stage at time of diagnosis and accessibility to health care (1).

There is a great deal of controversy surrounding the interpretation of existing epidemiological and clinical evidence. Expert groups recommendations regarding the age, frequency and the necessity for the use of the Prostate Specific Antigen (PSA) and the Digital Rectal Examination (DRE) for mass screening in the general population as a public health policy remain conflicting and controversial. Results from large scale randomized controlled trials conducted by the National Cancer Institute and the European Union, necessary to document the benefits of screening through reduction in mortality, will be available in few years. Meanwhile, a number of case-controlled studies, including the present study, are underway to determine if screening with the PSA and DRE reduce mortality from Prostate Cancer.

II. Body

Objectives/Hypothesis: the objectives of this study is to provide much needed data on the efficacy of screening for prostate cancer using observational case-control methodology while awaiting the results of randomized controlled trials and to explain the black white disparity in mortality from prostate cancer. The hypothesis to be tested is that the frequency of screening tests (PSA and DRE) should be higher in the general population, as represented by a control group, than in the group of men who die from prostate cancer.

Specific Aim: Is to determine if screening with the PSA and DRE reduces mortality from prostate cancer.

Study Design: To accomplish this aim and test the hypothesis, a case-control study was planned and is being conducted in the 5 SEER Atlanta Georgia counties with access to or with an automated linkage to death certificates. The frequency of PSA and DRE screening prior to the diagnosis of prostate cancer will be compared between a sample of 450 men (170black& 280 white) who died from prostate cancer in the five counties during the 2-4 year 1998-2001 period and a sample of 450 control men (170black and 280 white) who did not die from prostate cancer. Deaths will be ascertained directly from the SEER Registry and the Georgia Department of Public Health. The hospital based cases and controls will be frequency matched by race, age, sex, and county of residence.

Death records will be systematically linked to hospital records using seven identifiers: name, Social security #, date of birth or age, date of death, race, and county of death and residence. Hospital, physician and laboratory records will be reviewed to assess the frequency of DRE and PSA tests in cases and controls for a period of 12 to 14 years prior to the date of death of the case and to include the exposure period prior to the reference date of diagnosis of the case.

The Odds Ratio with 95% C.I. will be used for overall comparisons and within subgroups defined by risk factors and adjusted for co-morbidity. Logistic regression will be used to generate summary odds ratios adjusted for Co-variates.

III. Key Research Accomplishments

Key research accomplishments are based on progress made relative to each of the items listed under Tasks 1-5 in the Statement of Work that follows and submitted as part of the Proposal.

Statement of Work

Task 1. Personnel Recruitment/Arrangements, Months 1-4:

a. Prepare paper work, position description and advertisement.

Completed in a timely fashion.

b. Hire and train data abstractor(s).

- Two key personnel were hired on the Project. Yassa Nadjakani, M.D., M.P.H. was hired as Project Coordinator on October 1, 2001 and C elestine Kiki, M.D., M.P.H. was hired as Post doctoral Fellow on November 5, 2001. Both are involved with the Principal Investigator in all aspects of the project including IRB approval and Hospital arrangements, form development, abstracting and data collection. There remains open the positions of Data Abstractor and One Post Doctoral Fellow. These will be filled as needed. A Report on Dr. Kiki'e Progress to date as a Post Doctoral Fellow appears in Appendix B.
 - c. Finalize arrangements with Tumor Registries, the Health Departments, Hospitals, Laboratories, Urologists, and Primary Care Providers.

Arrangements have been made and completed with the Tumor Registries at the Georgia Department of Human Resources and the Georgia Cancer Registry which includes the NCI sponsored SEER Registry. Arrangements have also been made with all the hospitals in the Metropolitan Atlanta which admit residents from the 5 SEER Counties of Clayton, Cobb, Dekalb, Fulton, and Gwinnett. It is too early to begin to contact laboratories, urologists and primary care providers. This process bein once cases and controls have been identified and their medical charts abstracted.

d. Obtain death certificates lists and all other materials from the State Health Departments and Tumor Registries.

Listing of all prostate cancer deaths have been obtained from the Georgia Department of Human Resources and the Georgia Cancer Registry that includes the SEER Registry for the years 1998, 1999, and 2000. Data for the year 2001 is forthcoming and has not been available yet.

Task 2. Sample Size Determination and Power Calculations, Months 1-4:

a. Review Georgia State Department of Health mortality records and registry data for 1999-2000 (expanded to include 1998-2001) to determine the number of men dying from prostate cancer.

The following table summarizes the prostate cancer mortality data obtained from the Georgia Department of Human Resources and the Georgia Cancer Registry. We expanded the initial 2 year period 1999-2000 to the four year period 1998-2001 to assure adequate sample size.

Table 1
Prostate Cancer Mortality in the 5 Metro Atlanta SEER Counties
1998, 1999, 2000, 2001*
By Race

Counties	1998 Black	White	19 Black	99 White	2 Black	000 White	20 Black	001 White	To Black	otals White	Grand Totals
Clayton	4	11	4	1	1	4			9	16	25
Cobb	3	33	6	21	5	26			14	80	94
Dekalb	24	32	17	22	17	27			58	81	139
Fulton	58	33	57	45	19	20			134	98	223
Gwinnett	1	23	3	26	2	21			6	70	76
Totals	90	132	87	115	44	98			221	345	566

^{*} Data for 2001 will be provided soon

The 221 black deaths and 345 white deaths exceed the needed sample of 170 blacks and 280 whites projected for adequate power.

b. Determine the adequacy of sample size projected in the proposal.

The Sample size of 450 men 170 black and 280 white appear adequate at this time. Inclusion of 2001 death will provide additional 35-40 blacks and 80-90 white deaths.

- Task 3. Modify and Pre-test Medical Record Review Form, Months 2-4:
 - a. Modify, pretest, refine and finalize the medical record review forms found in the appendix.

The Medical Record Review forms developed, pretested and used in the Carolina Prostate Cancer Screening Study (CPCSS) n which is funded by the American Cancer Society and being conducted by Paul Godley of the University of North Carolina Division of Hematology and Oncology has been adopted by this project, slightly modified and used. See Form in Appendix A.

b. IRB packages will include the final medical record review forms and protocol with sampling and data collection strategies and final sample size estimates.

IRB approval has been obtained from almost all of the participating hospitals with the exception of Northside hospital were access to medical records has been denied. Table 2 provides the detailed information regarding the Hospital/INstitutional IRB approval process and status:

Table 2
Study of Prostate Cancer Screening and Mortality In Black and White
Men in Five Atlanta Area SEER Counties
Hospital/Institutional IRB Approval Status

	M. C.			
Hospital/ Institution	Telephone	IRB Contact	IRB Status	Date Approved
Morehouse School of Medicine	404-752-1973 404-752-1711	John Smith, M S W Ralph Trottier, PhD, JI	Approved)	11/16/2000 Revised 1/23/2001
Georgia Departmer Human Resources	nt404-657-1453 404-657-5254	Margaret Palli Exec. Sec. Allan Goldman, member	Approved Incorporated changes in Consent Form	2/20/2001 Revised Letter received 8/9/2001
US Army M.R.M. Command	301-619-6987	Maryann Pranulis		Grant Awarded 9/24/2001
V.A.M.C.	404–321-6111 X2512	Emory HIC Matthew Howard	Approved/ Emory Submitted 8/7/01 8/16/01 (directly)	8/15/2001 letter received 12/6/01
Crawford Long Hosp.	404-727-5646 Dr. Bennett (Local) Special Forms	Emory HIC	Approved/Emory. Submitted 8/7/01	8/15/2001 letter received 12/6/01
Cobb Hospital & Med Center	770-732-4000 770-739-3495	Accepts MSM IRB Approval	Approved Submitted letter 8/8/01 to access	11/16/2000 Revised 1/23/2001
Decatur Hospital	404-501-6100 Richard Schmidt Exec. Director	Accepts Dekalb Med Center IRB Approval	Approved Submitted 8/23/01	9/07/2001
Dekalb Med Center	· 404-501-1000 Special Forms(7:00) Local Investigator	Robert C. Jerris, PhD Chair, IRB	Approved Submitted 8/23/01	9/07/2001
Emory Univ Hospital	404-727-5646 Local Investigator	Emory HIC www.Emory.Edu/WHS C/MED/HIC	Approved Submitted 8/7/01	8/15/2001 Letter received 12/6/01

Atlanta Med Center	404-265-3592 local Investigator	Carol Ehlban Dr. Saltzman, IRB Chair	Approved Submitted 8/8/01 to acces	11/8/2001 swith 4 specifications
Grady H.S.	404-616-4360 Local Investigator Dr. Bennett	Accepts MSM	Approved Submitted 8/8/01; Approv on 10/2/2001	11/16/2000 aRevised 1/23/2001
Gwinett Med Cente	r 678-442-3288 Local Investigator	Polly Dormyny	Not submitted	To mail list of Urologists
Kennestone Hospit	a(770)732-4152	Andrea Parson Accepts MSM	Approved Submitted letter 8/8/01 to access	11/16/2000 Revised 1/23/2001
Northside Hospital	(404) 851-6848 NSH 612 Special forms Local Investigator	Shirley S. Elks IRB Data Manager	Denied Approval Submitted 8/7/01 Review 8/28/01	
Piedmont Hospital	(404)605-3638 Submit 4 copies on 9/18/01 for 10/9/01	Emmy Jansen IRB meets quarterly 10/9/2001 meeting	Approved. Submitted 8/14/01	10/9/2001 for one year
St Joseph's hospita	I (404)851-5615 Local Investigator	Magi Riley Need full proposal	Approved. Submitted 8/8/01	12/17/01 for one year, letter dated 12/18/01
Shepherd Center	404-352-2020 Dr. Bennett	9/13	Approved. Submitted 8/9/01	10/15/2001 subject receipt n-o-k In.Consent
South Fulton Med Center	404-305-4571	Vicky Blound. Accepts MSM	Approved Submitted letter 8/16/01 to access	11/16/2000 Revised 1/23/2001
Southern Regional Med Center	(770)-991-8334 Require Active Medical Staff Co-Investigator/Sponsor		Pending IRB App. Submitted 8/15/01	Co-Investigators agree to participate. Awaiting identification of subjects from death records
Wellstar Kennestor	ne(770)732-4152	Accepts MSM IRB	Approved MSM Submitted letter 8/9/01	11/16/2000 Revised 1/23/2001

Task 4. Access Hospital Lists/Select Controls, Months 4-6:

a. Identify list of hospitals where cases were diagnosed.

Table 3 provides a summary of all participating hospitals and numbers of cases that have been availed and/or abstracted.

Table 3 Study of Prostate Cancer Screening and Mortality In Black and White Men In Five Atlanta Area SEER Counties Medical Record Abstracting of Cases Progress Report October 20, 2002

Hospital	# of Charts Reviewed	Charts Reviewed Blacks	Charts Reviewed Whites	Number of Charts Requested	Number of Charts Pending Review	Estimated Total Number of Charts
V.A. M.C.	ASAP					

Crawford Long Hosp	13	10	3	16	28	60
Cobb Hospital						
Decatur Hospital						
Dekalb Med Center	7	3	4	27		34
Emory University Hospital	49	4	45			49
Atlanta Medica Center	ıl					
Grady H.S.	45	44	1	10		55
Gwinett Medical Center						
Kennestone Hospital						
Northside Hospital						
Piedmont Hospital	5	1	4	17		21
St. Joseph Hospital	ASAP					
Shepherd Center						
South Fulton Med Cntr						
Southern Regional Medical Cente	•					
Wellstar Kennestone						
Totals	119	62	57	70	28	219

b. Finalize arrangements with hospitals for in-site visit.

See Tables 2 and 3 above.

c. Selection of Controls at each hospital.

- Not completed, awaits completion of case accrual and abstracting before selection of controls begins
 - Task 5: Conduct Medical Record Review/Computerize Data Set for Analysis, Months 6-30:
 - a. Begin data collection on cases and controls from hospitals, physicians and laboratories.

Work in Progress. Please see Table 3.

b. Conduct the medical record review on 450 black and white males prostate cancer deceased cases and their 450 frequency matched age and race male controls.

Work in Progress. Please see tables 3.

c. Ongoing quality control, cleaning and completeness of data.

A sub set of the data abstracted by Dr. Kiki has been re-abstracted by Dr. Nadjakani for quality control. Differences, when noted have been discussed and the data corrected when appropriate. Further, Information abstracted by the Tumor Registry Personnel on prostate cancer cases is being reviewed and serves as a quality control on our own abstracting and providing a useful source to obtain missing information.

d. Computerize completed, cleaned, and validated data and translate into ASCII file format with a data dictionary.

Not applicable.

Task 6. Data Analysis, Months 30-33:

a. Comprehensive analyses of collected data according to statistical procedures outlined in the statistical section of the proposal.

Not Applicable

Task 7. Final Report/Manuscript Preparation, Months 33-36:

a. Preparation of the final report to funding agency and manuscript prepared for publication.

Not Applicable

IV. Reportable Outcomes

Work In Progress no Outcomes to Report.

V. Conclusions

Study is progressing as planned. Only one post doctoral fellow was hired, she and the project director are performing, in part, duties other wise performed by the abstractor.

The Principal Investigator has relocated to the University of Florida at Gainesville. He continues to retain Adjunct Affiliation with Morehouse School of Medicine where the Study is currently housed. The P.I. maintains daily contact with staff through e-mail and telephone exchanges and travels almost weekly to Atlanta and Morehouse School of Medicine to attend to Project needs.

The Principal Investigator plans to expand the Geographic area of the study to include in addition to the 5 Metro Atlanta Counties,23 counties in North Central Florida, that demographically include is diverse population of blacks, whites, rural and urban residents.

IRB approval has been obtained from the University of Florida Health Sciences Center that covers the Shands Health System in North Central Floprida that includes the University of Florida Campuses in Gainesville and Jacksonville. The Chief of the Division of Urology at the University of Florida has agreed to join the project as Co-investigator and has agreed to provide both the urologic expertise and contacts with urologists in North Central Florida. The Florida Department of Health has agreed to provide all needed mortality records. The Florida State Tumor Registry will provide access to any and all prostate cancer data that has already been collected.

The Principal Investigator is currently engaged with Morehouse School of Medicine Administrators and the funding agency in discussions to either transfer the project to the University of Florida and provide Morehouse School of Medicine a subcontract or to leave the Project

• at Morehouse School of Medicine and provide the University of Florida a Subcontract. The Executive Dean at Morehouse School of Medicine, E. Nigel Harris, has already provided a letter supporting the transfer of the project to the University of Florida.

VI. References

1. American Cancer Society Facts and Figure, 2002, ACS, Atlanta, Georgia

VII. Appendices

Appendix A: Study of Prostate Cancer Screening and Mortality: Medical Records Abstract Form

Appendix B: Progress Report, Celestine Kiki, M.D., M.P.H., Post Doctoral Fellow

Appendix A

Study of Prostate Cancer Screening and Mortality in Black and White Men

Nabih R. Asal, Ph.D., Principal Investigator

Medical Record Abstract Form

PD	Study	Medical	Record	#:			_	
		212000			 	 		

PROSTATE CANCER DISEASE STUDY CHART REVIEW FORM

REVIEWEF		_	
LAST NAM	Œ:		
FIRST NAN	ΛΈ:		MIDDLE INITIAL:
BIRTH DA'	TE (mm/	/dd/yyyy):/	
INDEX PRO	OSTATE	E CANCER DIAGNOSIS DATE (mm/dd/yy) :	// 19
DATE 12 M	ONTHS	S PRIOR TO DIAGNOSIS (Mm/dd/yy):	_// 19
		ADMINISTRATIVE	
			DATE
	01	DATE CHART REVIEW COMPLETED	// 20
	02	FIRST CHART NOTE (Within one year PRECEDING index prostate cancer diagnosis date)	// 19
	03	LAST CLINICAL CHART NOTE	//
	DO NO	OT DATA ENTER THE INFORMATION AT T	THE BOTTOM OF THIS PAGE
Chart locations	Vol. #		leason not reviewed
		Reviewed: [1] Yes [2] No	
	_	Reviewed: [1] Yes [2] No	
		Reviewed: [1] Yes [2] No	· · · · · · · · · · · · · · · · · · ·
		Reviewed: [1] Yes [2] No	
		Reviewed: [1] Yes [2] No	
		Reviewed: [1] Yes [2] No	
		Reviewed: [1] Yes [2] No	
	_	Reviewed: [1] Yes [2] No	
		Reviewed: [1] Yes [2] No	
		Reviewed: [1] Yes [2] No	·

			PD Study MR #:	
EMOGRAF	PHICS			
	Marital Status at diagnosis 1 = Single 2 = Married 3 = Separated 4 = Divorced 5 = Widowed 7 = Unclear 8 = Not noted		Race/ethnicity 01=White 02=Black 03=Am. Indian 04=Asian or Pacific Islander 50=Other 51=Hispanic 70=Unclear 80=Not noted	
) / / // / / / / / / / / / / / / / / /	· ·	Weight (at diagnosis)	
	Height (at diagnosis) feet/inches	/	pounds	
1	Code 9/99 for missing height		Code 999 for missing weigh	ght
		osis, was a dig 1=YES 2	gital rectal exam (DRE) performed? =NO 7=Unclear 8 = Not no	ited
AFTER the	date of diagnosis for prostate cancer,	was a digital 1=YES 2	rectal exam (DRE) performed? P=NO 7 = Unclear 8 = Not no	oted II
DATE				
Result				
Referral urologist		er diagnosis a	nd last two notations.	
	more than 5 tests, record hist three and	si diagnosio a		
PSA In the 12 r	nonths BEFORE prostate cancer diagn	osis, was a Pa 1=YES 2	SA performed? 2=NO 7=Unclear 8 = Not no	oted III
		1=150 /	2-110 7-01101001 0 1101111	
DATE				
PSA leve	51			

8=Not noted

7=Unclear

Referral to Urologist

1=YES 2=NO 3=Test by Urologist

POST DIAGNOSIS PSA LEVELS	Work ar	ea to count l Results	PSA Lab	Data E	ntry Area fo	PSA Lab Re	esults
Time since diagnosis	0 -3.99	4.0 - 9.99	≥ 10**	Total Number of PSAs In Time Period	Number of PSAs 0 - 3.99	Number of PSAs 4 - 9.99	Number of PSAs ≥ 10
0-12 months							
13-24 months							
25-36 months							
37-48 months							
49-60 months							
Year 6-10							
Year 11-15					·		
Year 16-20							
Year 21-25			·			·	
Year 26+							

** ENTER DATE and LEVEL FOR ANY PSAs THAT EXCEED 10

DATE (Year in 4 digits)	LEVEL
(rear in region	
	·
•	
	·
	·

PD	Study	MR	#:							
----	-------	----	----	--	--	--	--	--	--	--

THE NEXT TWO PAGES REFER TO PROSTATE ACID PHOSPHATASE

In the 12 months BEFORE prostate cancer diagnosis, was an acid phosphatase level obtained?

1=YES 2=NO

7=Unclear

8 = Not noted

DATE			
Result			
Referral to urologist			

1=Yes

2=No

3=Test by Urologist

7=Unclear

8=Not noted

PD	Study	MR	#:							
----	-------	----	----	--	--	--	--	--	--	--

POST DIAGNOSIS ACID PHOSPHATASE LEVELS	Work area to count Acid Phosphatase Lab Results			Data Entry A	Area for Acid	Phosphatas	e Lab Results
Time since diagnosis	0 -0.8	0.81- 1.59	≥1.6**	Total Number of APs in Time Period	Number of APs 0 - 0.8	Number of APs 0.81-1.59	Number of APs ≥ 1.6
0-12 months						·	
13-24 months					•		
25-36 months				,			
37-48 months							
49-60 months							
Year 6-10							·
Year 11-15		·					
Year 16-20							
Year 21-25	·			<u> </u>			
Year 26+		<u> </u>					

** ENTER DATE and LEVEL FOR ANY PROSTATE ACID PHOSPHATASE LEVEL THAT EXCEEDS

DATE (Year in 4 digits)	LEVEL
	·
	•
,	
	•

PD	Study	/ MR	#:			 	
	Otua		" .	 	 	 	_

NEEDLE BIOPSY

· BEFORE DIAGNOSIS

	1=YES 2=NO 7=Unclear 8=Not noted	
In the 12 months BEFORE prostate cancer diagnosis, was a needle biopsy performed?	•	
		IF YES, what was the date?
		IF YES, what was the result?
In the 12 months BEFORE prostate cancer diagnosis, was a second needle biopsy performed?		
		IF YES, what was the date?
		IF YES, what was the result?

AFTER DIAGNOSIS

	1=YES 2=NO 7=Unclear 8=Not noted	
AFTER diagnosis of prostate cancer, was a needle biopsy performed?		
		IF YES, what was the date?
		IF YES, what was the result?
AFTER diagnosis of prostate cancer, was a second needle biopsy performed?		
		IF YES, what was the date?
		IF YES, what was the result?

PD Study MR #:	
----------------	--

BONE SCAN

BEFORE DIAGNOSIS

·	1=YES 2=NO 7=Unclear 8=Not noted	
In the 12 months BEFORE prostate cancer diagnosis, was a bone scan performed?		
		IF YES, what was the date?
		IF YES, what was the result?
In the 12 months BEFORE prostate cancer diagnosis, was a second bone scan performed?		
		IF YES, what was the date?
		IF YES, what was the result?

AFTER DIAGNOSIS

	1=YES 2=NO 7=Unclear 8=Not noted	
AFTER diagnosis of prostate cancer, was a bone scan performed?	·	
		IF YES, what was the date? IF YES, what was the result?
AFTER diagnosis of prostate cancer, was a second bone scan performed?		
		IF YES, what was the date? IF YES, what was the result?

PD	Study	MR	#:							
----	-------	----	----	--	--	--	--	--	--	--

LYMPH NODE BIOPSY

BEFORE DIAGNOSIS

	1=YES 2=NO 7=Unclear 8=Not noted		
In the 12 months BEFORE prostate cancer diagnosis, was a lymph node biopsy performed?			
		IF YES, what was the date?	
		IF YES, what was the result?	
		IF YES, how many nodes were biopsled?	
		IF YES, how many nodes were positive?	÷
In the 12 months BEFORE prostate cancer diagnosis, was a second lymph node biopsy performed?			
		IF YES, what was the date?	
		IF YES, what was the result?	
		IF YES, how many nodes were biopsied?	
		IF YES, how many nodes were positive?	

D:	Study	MR	#:								
----	-------	----	----	--	--	--	--	--	--	--	--

LYMPH NODE BIOPSY - Continued

AFTER DIAGNOSIS

	1=YES 2=NO 7=Unclear 8=Not noted	
AFTER the diagnosis for prostate cancer, was a lymph node biopsy performed?		
		IF YES, what was the date?
		IF YES, what was the result?
		IF YES, how many nodes were biopsied?
		IF YES, how many nodes were positive?
AFTER the diagnosis for prostate cancer, was a second lymph node biopsy performed?		
		IF YES, what was the date?
		IF YES, what was the result?
		IF YES, how many nodes were biopsied?
		IF YES, how many nodes were positive?

ULTRASOUND OF THE PROSTATE REFORE DIAGNOSIS

	1=YES 2=NO 7=Unclear 8=Not noted	
In the 12 months BEFORE prostate cancer diagnosis, was a ultrasound of the prostate performed?		
<u> </u>		IF YES, what was the date?
		IF YES, what was the result?
In the 12 months BEFORE prostate cancer diagnosis, was a second ultrasound of the prostate performed?		
		IF YES, what was the date?
		IF YES, what was the result?

AGNOSIS	1=YES 2=NO 7=Unclear 8=Not noted	:
AFTER diagnosis of prostate cancer, was a ultrasound of the prostate performed?		
		IF YES, what was the date?
	•	IF YES, what was the result?
AFTER diagnosis of prostate cancer, was a second ultrasound of the prostate performed?	ü	
<u> </u>	l	IF YES, what was the date?
		IF YES, what was the result?

	Study	·MD	₩.				
РΙ)	SHIGH	/ NID	# .				
	0.00			 	 	 	_

MRI OF THE PROSTATE BEFORE DIAGNOSIS

		1=YES 2=NO 7=Unclear 8=Not noted .	
·	In the 12 months BEFORE prostate cancer diagnosis, was a MRI of the prostate performed?		
	<u> </u>		IF YES, what was the date?
			IF YES, what was the result?
			1
	In the 12 months BEFORE prostate cancer diagnosis, was a second MRI of the prostate performed?		
	Posterior		IF YES, what was the date?
			IF YES, what was the result?

AFTER DIAGNOSIS

	1=YES 2=NO 7=Unclear 8=Not noted	·
AFTER diagnosis of prostate cancer, was a MRI of the prostate performed?		
		IF YES, what was the date?
		IF YES, what was the result?
AFTER diagnosis of prostate cancer, was a second MRI of the prostate performed?		
		IF YES, what was the date?
		IF YES, what was the result?

PD	Study	MR	#:		 	 	
, -				 	 		_

CAT SCAN OF THE PROSTATE BEFORE DIAGNOSIS

		1=YES 2=NO 7=Unclear 8=Not noted	
·	In the 12 months BEFORE prostate cancer diagnosis, was a CAT scan of the prostate performed?	·	
	11-		IF YES, what was the date?
			IF YES, what was the result?
			IF YES, what was the result?
	In the 12 months BEFORE prostate cancer diagnosis, was a second CAT scan of the prostate performed?		IF YES, what was the result?
	BEFORE prostate cancer diagnosis, was a second CAT		IF YES, what was the result? IF YES, what was the date?

AFTER DIAGNOSIS

	1=YES 2=NO 7=Unclear 8=Not noted	•	
AFTER diagnosis of prostate cancer, was a CAT scan of the prostate performed?			
		IF YES, what was the date?	
	•	IF YES, what was the result?	
AFTER diagnosis of prostate cancer, was a second CAT scan of the prostate performed?			
1.		IF YES, what was the date?	
		IF YES, what was the result?	

Was surgery performed for prostate treatment?

8 = Not noted 7=Unclear 2=N0 1=YES

10=TURP or transurethral resection of the prostate without lymph node dissection.

20=TURP or transurethral resection of the prostate with lymph node dissection.

30 = Subtotal/simple prostatectomy without dissection of lymph nodes

40 = Subtotal/simple prostatectomy with dissection of lymph nodes

50 = Radical or total prostatectomy without dissection of lymph nodes 60= Radical or total prostatectomy with dissection of lymph nodes

70= Cystoprostatectomy, pelvic exeneration with or without dissection of lymph nodes

80= Surgery of regional or distance site or nodes ONLY

90= Prostatectomy, NOS, Surgery, NOS

95 = Orchlectomy

RADIATION AFTER PROSTATE CANCER DIAGNOSIS

Was radiation given for prostate cancer treatment?

8 = Not noted 7=Unclear 1=YES 2=NO

Noted Complications		,	
Vendor (hospital or Con facility)		·	
Dose (Rads)			
Type 1=Cobalt 2=Linear 3=other 7=unclear/insuff info 8=Not noted			
Body Site 1 = prostate 2 = spine/back			
DATE mm/yy			

Was chemotherapy given for prostate cancer treatment?

7=Unclear 2=N0


8 = Not noted 1=YES

DATE	TYPE	

HORMONE AFTER PROSTATE CANCER DIAGNOSIS

Was hormone treatment given for prostate cancer treatment? 1=YES 2=NO

8 = Not noted 7=Unclear



= Aminoglutethimide 1 = Aldactone 1 = Anadron

1= Casodex 1= Cytadren

3= Diethylstilbestrol

1 = Cyproterone acetate 3 = DES

3= estrogen

f = Glucoscoticolds/cortisone 2= leuprolide (Lupron) 1 = Flutamide 2= Goserelin

3= Megace 1= nllutaminde 2= Lupron 3= Megestrol 2= Zoladex

AFTER INITIAL PROSTATE CANCER TREATMENT,

Did cancer in the prostate recur?	1=YES	2=NO	7=Unclear	8 = Not noted	
Did metestatic cancer related to inital prostate cancer occur or recurr?	1=YES	2=NO	7=Unclear	8 = Not noted	

OTHER SYMPTOMS / SIGNS / SIDE EFFECTS / COMPLICATIONS

Noted before Noted before Noted before Noted before Dx					If after	
1 = YES		Noted before	Noted before	Noted AFTER DX	Was this treatment related?	Date First Noted
conditions dominal/pelvic pain - NOS wel inflation wel obstruction nstipation urrhea upset -NOS usea or upset stomach octitis miting miting pecia or hair loss in - hums		1=YES 2=NO 7=UNCLEAR 8=NOT NOTED	1=YES 2=NO 7=UNCLEAR 8=NOT NOTED 9=N/A	1=YES 2=NO 7=UNCLEAR 8=NOT NOTED	1=YES 2=NO 7=UNCLEAR 8=NOT NOTED 9= N/A	wm/dd/yy
et stomach ONS	Abdominal/pelvic pain - NOS	,				
ation ation at -NOS or upset stomach s g ONDITIONS a or hair loss	Bowel Irritation			•	٠	
ation tNOS or upset stomach g ONDITIONS a or hair loss	Bowel obstruction					
at -NOS or upset stomach s g ONDITIONS a or hair loss	Constipation	·				
or upset stomach s g ONDITIONS a or hair loss	Diarrhea					·
or upset stomach g ONDITIONS a or hair loss	GI upset -NOS					
g ONDITIONS a or hair loss	Nausea or upset stomach					
g ONDITIONS a or hair loss	Proctitis					
TIONS nair loss	Ulcers					
TIONS nair loss	Vomiting				·	
Alopecia or hair loss Skin - hims	SKIN CONDITIONS					
Skin - hirms	Alopecia or hair loss					
	Skin - burns			•		

				diagnosis:	
ŻŌ	Noted before Dx	Noted before TUR	Noted AFTER Dx	Was this treatment related?	Date First Noted
4.2.7.8	1=YES 2=NO 7=UNCLEAR 8=NOT NOTED	1=YES 2=NO 7=UNCLEAR 8=NOT NOTED 9=N/A	1=YES 2=NO 7=UNCLEAR 8=NOT NOTED	1=YES 2=NO 7=UNCLEAR 8=NOT NOTED 9= N/A	/dd/yy
Skin - rash, eczema,					
Skín - NOS					
GENERAL PROBLEMS					
Cachexla				·	
Fatigue, loss of energy, weakness					
Fever					
Gynecomastla, enlarged breasts					
Renal or kidney problems, NOS	-		·		
Weight loss				·	
RENAL / URINARY / SEXUAL					
Impotence/sexual dysfunction					
Loss of libido or sexual interest				·	
Urinary - dysurla					
Urinary - frequency					
Urinary - hematurla					

				If after diagnosis:	
	Noted before Dx	Noted before TUR	Noted AFTER Dx	Was this treatment related?	Date First Noted
	1=YES 2=NO 7=UNCLEAR 8=NOT NOTED	1=YES 2=NO 7=UNCLEAR 8=NOT NOTED 9=N/A	1=YES 2=NO 7=UNCLEAR 8=NOT NOTED	1=YES 2=NO 7=UNCLEAR 8=NOT NOTED 9= N/A	wm/dd/yy
Urinary - hesitancy					
Urinary - Incontinence					•
Urinary - nocturia					
Urinary - painful urination					
Urinary - retention					
Urinary - other/NOS					

It is noted specifically in the medical record that the patient DOES NOT have the symptom. etc.

It is noted specifically in the medical record that the patient DOES have the symptom, etc.

Code if a) it is reported specifically that unclear whether the symptom is present or b) the report itself is unclear as the whether the

patient has the symptom, etc.

No mention is made in the medical record as the whether the patient has or does not have the symptom, etc.
Record date symptom first noted in chart; use 99 for any part of date that is unclear. If symptom is "1", "7", "8", or "9", leave blank.

Date First Recorded

Not Noted

NO YES Unclear

COMORBID CONDITIONS

palin noted, specific tenterapy initiated management, a=Condition noted, no med management, a=Condition noted, no med management, a=Condition noted, no med management mentioned a=Not hearzy changed a=Not noted tenterapy of condition noted, unknown if a=Not noted hist. of or current b=Resone 7=Unclear/Insuff. Info absence 7=Unclear/Insuff. Info a=Not stated 12 Months PRIOR to Diagnosis palin title	NOILIUNCO	PRESENT	THERAPY	PRESENT	THERAPY	
paln - 12 Months PRIOR to Diagnosis paln		3	1=therapy initiated 2=Therapy changed 3=No therapy 7=Unclear/insuff. Info 8=Not noted	2=Condition noted, specific report of no med. management, 3=Condition noted, no med mangement mentioned 4=History of condition 5=Condition noted, unknown if hist, of or current 6=Review of system normal, infer absence 7=Unclear/insuff, info 8=Not stated	1=therapy initiated 2=Therapy changed 3=No therapy 7=Unclear/insuff. info 8=Not noted	
paln on AL		12 Month	OR to Diagnosis	From Diagnosis to Dea	ath or End of Follow-up	T
	rovascular Accident ease or stroke					- T
sneration :STINAL	(non-angina) pain					
ASE Segmentation TTESTINAL Itis	lopathy					
EASE SS Sa Ba Degeneration INTESTINAL Stitis Stitis	SON					
SE rgeneration TESTINAL is	les					1
rgeneration TESTINAL Is	ISEASE					\$5.0. 1
acts :oma lar Degeneration ROINTESTINAL ASE scystitis silthiasis osis	NOS					Т
coma coma llar Degeneration ROINTESTINAL ASE Scrystitis elithiasis Scrystitis osis Scrystitis	acts					T
Iar Degeneration FROINTESTINAL ROINTESTINAL ASE Acystitis Elithiasis elithiasis Osis	ота					
ROINTESTINAL ASE ecystitis elithiasis osis	llar Degeneration					
ecystltis eithiasis osis	TROINTESTINAL ASE			Į.		
elithiasis	ecystitis					1
siso	elithiasis					
	Sisc					=

NOILIUNCO	PRESENT 1=Current med. management	THERAPY	PRESENT 1= Current med, management	THERAPY
	2=Condition noted, specific report of no med. management, 3=Condition noted, no med mangement mentioned 4=History of condition 5=Condition noted, unknown if hist, of or current 6=Review of system normal, infer absence 7=Unclear/insuff. Info	1 = therapy initiated 2 = Therapy changed 3 = No therapy 7 = Unclear/insuff. Info 8 = Not noted	2=Condition noted, specific report of no med. management, 3=Condition noted, no med mangement mentioned 4=History of condition 5=Condition noted, unknown if hist, of or current bist, of or current absence 2=Unclear/insuff. Info 8=Not stated	1=therapy initiated 2=Therapy changed 3=No therapy 7=Unclear/insuff. info 8=Not noted
	12 Mont	s PRIOR to Diagnosis	From Diagnosis to Death or End of Follow-up	ith or End of Follow-up
Diverticulitis				
Diverticulosis				
GI Hemorrhage	;			
Hepatitis				
Hiatal Hemla		٠		
Inflammatory Bowel Disease OR Crohn's Disease				
Liver Disease, NOS				
Peptic Ulcer Disease				
Other intestinal, stomach or GI problems, NOS				
Ulcers				
CARDIOVASCULAR OR HEART OR VASCULAR CONDITIONS				
Angina or (Cardiac) Chest Pain				

CONDITION	PRESENT 1=Current med. management 2=Condition noted, specific report of no med. management, 3=Condition noted, no med mangement mentioned 4=History of condition 5=Condition noted, unknown lf hist. of or current 6=Review of system normal, infer absence 7=Unclear/insuff. Info 8=Not stated	THERAPY 1=therapy initiated 2=Therapy changed 3=No therapy 7=Unclear/insuff. info 8=Not noted	PRESENT 1=Current med, management 2=Condition noted, specific report of no med, management, 3=Condition noted, no med mangement mentioned 4=History of condition 5=Condition noted, unknown if hist, of or current 6=Review of system normal, infer absence 7=Unclear/insuff. info 8=Not stated	THERAPY 1=therapy initiated 2=Therapy changed 3=No therapy 7=Unclear/insuff. Info 8=Not noted
	12 Months PRIC	is PRIOR to Diagnosis	From Diagnosis to Dea	From Diagnosis to Death or End of Follow-up
Arrhythmla				
Cardiac Arrest				
Congestive Heart Failure (CHF)		•		
Deep Vein Thrombosis				·
Heart Disease NOS				
Myocardial Infarction			,	
Hypertension	•			
Thrombophlebitis				
Transient Ischemic Attack (TIA)				
Valvular Disease				
MENTAL OR NEUROLOGICAL DISEASE				
Alzhelmer's Disease				

prostmr1.nev - revised 17 April 1995

CONDITION	PRESENT 1=Current med. management 2=Condition noted, specific report of no med. management, 3=Condition noted, no med mangement mentioned 4=History of condition 5=Condition noted, unknown if hist. of or current 6=Review of system normal, infer absence 7=Unclear/Insuff. Info 8=Not stated	THERAPY 1 = therapy initiated 2 = Therapy changed 3 = No therapy 7 = Unclear/insuff. info 8 = Not noted	PRESENT 1 = Current med. management 2 = Condition noted, specific report of no med. management, 3 = Condition noted, no med mangement mentioned 4 = History of condition 5 = Condition noted, unknown if hist. of or current 6 = Review of system normal, infer absence 7 = Unclear/insuff. Info 8 = Not stated	THERAPY 1 = therapy initiated 2 = Therapy changed 3 = No therapy 7 = Unclear/insuff. Info 8 = Not noted
	12 Months PRIC	ns PRIOR to Diagnosis	From Diagnosis to Dea	From Diagnosis to Death or End of Follow-up
Dementia				
Depression				
Other Dementia				
Parkinson's disease				
MUSCULOSKELETAL				
Degenerative Joint Disease (DJD)	,			
Fracture	•			,
Osteoarthritis				
Osteoporosis				
Residual Joint or Skeletal Problem Resulting from Injury/Fall				
Other Paln NOS				
Paralysis				
PULMONARY OR LUNG DISEASE				

prostmr1.rev - revised 17 April 1995

Appendix B Celestine Kiki, M.D., M.P.H. Post Doctoral Fellow Prostate Cancer Screening and Mortality Study Progress Report

Celestine Kiki received her M.D. degree from the University of Benin in 1996. She completed and MPH in Epidemiology at the University of Oklahoma School of Public Health in 2001. She was recruited and joined the project on November 5, 2001.

The following are Project and Educational activities that She was engaged in:

She regularly attended the following seminars:

Public Health
Cardiovascular Research Institute
Social Epidemiology Research Division

She attended the following Software Training Classes listed below (offered by Department of Information Technology):

Jan. 14: Class 101-Microsoft PowerPoint Basic.

Jan. 23: Class 102-Microsoft PowerPoint Design.

Jan. 28: Class 103-Microsoft PowerPoint Advanced.

Feb. 4: Class 104-Using Word: Web&Publication Issues.

Feb. 18: Class 202-Photoshop, Scanning,&Fireworks.

Feb. 25: Class 203-Web Basics&HTML.

Mar. 6: Class 301-Dreamweaver.

Mar. 13: Class 401-All Tools.

May 30: Class 105-Word: Administrative Tasks.

May 8: Class 106-Excel Basics.

June 12: Class 107-Access Basics.

July 3: Class 204-Photoshop Intermediate.

She wrote and submitted to the Department of Defense on June 18, 2002 a proposal entitled, "the association talcum powder use, coffee and alcohol consumption and ovarian cancer among women in Metropolitan Atlanta." This was completed in consultation with Drs Asal, (P.I.) Patello P {rofessor of OBGYN and Dr. Lee Caplan (Associate Professor of Community Health and Preventive Medicine (Epidemiologist)

Since June 24, she has been involved performing chart abstractions for the prostate cancer study. In addition, she is involved in the study of risk factors of ovarian cancer in Johanesburg (South Africa) for Morehouse of Medicine Department of Pediatrics South African Pediatric Elective.

She registerd and plans to attend the Americal Public Health Association Annual Meeting in Philadelphia in November, 2002.